

RECEIVED
CENTRAL FAX CENTER

OCT 29 2007

CLAIM LISTING

1-7. (Canceled)

8. (Currently Amended) A method, comprising:

installing a plurality of pest control devices each including a wireless communication circuit;

positioning a hand held interrogator to receive information from a first one of the pest control devices by wireless transmission; and

changing position of the hand held interrogator to receive information from a second one of the pest control devices by wireless transmission, the second one of the pest control devices being spaced apart from the first one of the pest control devices;

wherein the information from the first one of the pest control devices includes a pest control device identifier and a bait status indication.

9. (Original) The method of claim 8, further comprising transmitting the information from the first one of the pest control devices and the information from the second one of the pest control devices to a data collection unit.

10. (Original) The method of claim 8, further comprising repositioning the interrogator to communicate with a third one of the pest control devices.

11. (Canceled)

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 2 of 17

12. (Original) The method of claim 8, wherein the wireless communication circuit of at least one of the pest control devices includes a passive RF transmitter.

13. (Original) The method of claim 8, wherein said installing includes placing at least one of the pest control devices at least partially below ground and further comprising locating the pest control devices through wireless communication with the interrogator.

14. (Currently Amended) The method of claim 8, A method, comprising:
installing a plurality of pest control devices each including a wireless communication
circuit;

positioning a hand held interrogator to receive information from a first one of the pest
control devices by wireless transmission;

changing position of the hand held interrogator to receive information from a second one
of the pest control devices by wireless transmission, the second one of the pest control devices
being spaced apart from the first one of the pest control devices; and

wherein said installing includes placing the first one of the pest control devices at least partially below ground, the first one of the pest control devices being installed with a monitoring bait member for termites, and further comprising:

detecting at least partial consumption of the monitoring bait member from the information about the first one of the pest control devices obtained with the interrogator; and
installing a pesticide bait member for termites in response to said detecting.

15. (Currently Amended) The method of claim 8, A method, comprising:

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 3 of 17

installing a plurality of pest control devices each including a wireless communication circuit;

positioning a hand held interrogator to receive information from a first one of the pest control devices by wireless transmission; and

changing position of the hand held interrogator to receive information from a second one of the pest control devices by wireless transmission, the second one of the pest control devices being spaced apart from the first one of the pest control devices;

wherein the pest control devices each include an edible bait member for one or more species of pest, and further comprising evaluating bait status information obtained from each of the pest control devices with the interrogator to identify which of the pest control devices have attracted the one or more species of pest.

16. (Currently Amended) A pest control device, comprising: at least one bait member operable to be consumed or displaced by one or more species of pest and a passive RF communication circuit responsive to a wireless stimulation signal to transmit information about said pest control device, wherein said bait member includes a magnetic material to provide a magnetic signature corresponding to consumption of said bait member by one or more pests.

17. (Original) The device of claim 16, further comprising an active RF circuit.

18. (Original) The device of claim 16, wherein said passive RF circuit is operable to include a unique identification signal in said information, said identification signal corresponding to a discrete, multibit code assigned to the pest control device.

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 4 of 17

19- 21. (Canceled)

22. (Original) The device of claim 16, further comprising a sensor for measuring a change in at least one of temperature, humidity, or barometric pressure.

23. (Currently Amended) A combination, comprising: at least two pest control devices each arranged to be spaced apart from one another in an area to be protected from one or more pests, said pest control devices each including a passive RF communication circuit responsive to a stimulation signal, wherein said passive RF communication circuit is operable to provide a different identification signal for each of said pest control devices, at least one of said pest control devices includes a pest sensor operable to provide a status signal indicative of consumption or displacement of a member by the one or more pests, and further comprising an interrogator operable to output said stimulation signal and receive data corresponding to said different identification signal and said status signal in response to said stimulation signal.

24-27. (Canceled)

28. (Currently Amended) The combination of claim 27 23, further comprising a data collection unit operable to receive said data from said interrogator.

29. (Currently Amended) A system, comprising:

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 5 of 17

A plurality of pest control devices, two or more of said pest control devices each including a wireless communication circuit, said devices being arranged for independent installation to protect a selected area from one or more species of pest;

a hand held interrogator operable to establish wireless communication with each of said two or more pest control devices individually, said communication between said interrogator and a respective one of said two or more pest control devices being selectable in accordance with position of said interrogator relative to said two or more pest control devices; and

a data collection unit operable to receive information from said interrogator about one or more of said pest control devices;

wherein said pest control devices each include said wireless communication circuit, a bait member for said one or more species of pest, and an electrically conductive pest detection loop coupled to said wireless communication circuit, said pest detection loop being arranged to be altered by said one or more species of pest to provide a pest detection signal through said wireless communication circuit in response to a signal from said interrogator.

30. (Original) The system of claim 29, wherein said wireless communication circuit includes a passive RF transponder energized by a stimulation signal from said interrogator.

31. (Original) The system of claim 30, wherein said wireless communication circuit includes an active RF communication circuit.

32. (Canceled)

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 6 of 17

33. (Original) The system of claim 29, wherein at least one of said pest control devices includes an environmental sensor.

34. (Original) The system of claim 29, wherein said wireless communication circuit for each of said two or more pest control devices is operable to transmit a different identification signal to uniquely identify each of said two or more pest control devices in response to a signal from said interrogator.

35. (Canceled)

36. (Original) A system, comprising: at least one pest control device including a pest sensing member, said member including a magnetic material, said magnetic material providing a magnetic field that changes in response to removal of said magnetic material from said member by one or more pests, said at least one pest control device further including a circuit operable to generate a signal corresponding to said magnetic field.

37. (Original) The system of claim 36, wherein said circuit is further configured for wireless communication.

38. (Original) The system of claim 37, further comprising a device operable to receive information transmitted by said wireless communication.

39. (Original) The system of claim 38, wherein said circuit includes at least one magnetoresistor.

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 7 of 17

40. (Original) The system of claim 36, wherein said pest sensing member is configured as a bait including said magnetic material and said monitoring signal corresponds to a magnetic signature that changes as said bait is consumed.

41. (Original) The system of claim 36, wherein said at least one pest control device further includes a sensor to measure at least one of temperature, humidity, and barometric pressure.

42. (Original) The system of claim 36, wherein said at least one pest control device is a plurality.

43. (Currently Amended) A system, comprising: at least one pest control device including a member to sense at least one species of pest and a communication circuit, said communication circuit being operable to transmit a device identification code and pest detection information, wherein said member includes a magnetic material to provide a magnetic signature indicative of a degree of removal of said magnetic material from said member.

44. (Original) The system of claim 43, further comprising an interrogator operable to generate a stimulation signal and wherein said communication circuit includes a passive RF transmission circuit responsive to said stimulation signal to transmit said device identification code and said pest detection information.

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 8 of 17

45. (Original) The system of claim 44, further comprising a data collection unit operable to receive data from said interrogator.

46. (Original) The system of claim 43, wherein said communication circuit includes an active RF transmitter/receiver.

47. (Original) The system of claim 43, wherein said at least one pest control device further includes a sensor to measure at least one of temperature, humidity, and barometric pressure.

48. (Canceled)

49. (Original) The system of claim 43, wherein said at least one pest control device is a plurality.

50-55. (Canceled)

56. (Currently Amended) A method, comprising:

installing a plurality of pest control devices each including a bait for one or more species of pest and a wireless communication circuit; and

interrogating the pest control devices with a wireless communication device, the wireless communication device receiving a plurality of identification signals each corresponding to a different one of the pest control devices during said interrogating;

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 9 of 17

wherein the wireless communication circuit is in the form of a hand-held wireless interrogator and includes a passive RF transponder responsive to a stimulation signal from the wireless communication device, the passive RF transponder sending a respective one of the identification signals and a status signal indicative of pest activity.

57. (Original) The method of claim 56, further comprising receiving pest activity status information from each of the pest control devices with the wireless communication device.

58. (Original) The method of claim 57, further comprising transmitting data to a data collection unit from the wireless communication device.

59. (Canceled)

60. (Currently Amended) The method of claim 59 56, further comprising locating each of the pest control devices with the interrogator.

61. (Canceled)

62. (Original) The method of claim 56, wherein the pest control devices each include a sensor to measure at least one of temperature, humidity, and barometric pressure.

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 10 of 17

63. (Original) The method of claim 62, further comprising sending data to the wireless communication device from the sensor for each of the pest control devices and comparing the data to pest activity in the pest control devices.

64. (Currently Amended) The method of claim 56, A method, comprising:
installing a plurality of pest control devices each including a bait for one or more species
of pest and a wireless communication circuit; and
interrogating the pest control devices with a wireless communication device, the wireless
communication device receiving a plurality of identification signals each corresponding to a
different one of the pest control devices during said interrogating;
wherein said bait for at least one of said pest control devices includes a magnetic material operable to provide a magnetic signature corresponding to bait consumption.

65. (Original) The method of claim 64, further comprising monitoring said magnetic signature to evaluate pest bait consumption behavior.

66. (Original) The method of claim 56, wherein the bait of each of the pest control devices is selected to be edible by subterranean termites and said installing includes placing at least a portion of the pest control devices at least partially below ground.

67. (Original) The method of claim 56, wherein the bait for each of the pest control devices is of a pest activity monitoring variety, and further comprising:

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 11 of 17

detecting at least partial consumption of the bait for at least one of the pest control devices from data obtained with the interrogator; and installing a pesticide bait member in response to said detecting.

68. (Canceled)

69. (Previously Presented) The method of claim 8, wherein the first one of the pest control devices is installed with a bait member including a pesticide.

70. (Previously Presented) The method of claim 15, further comprising predicting future behavior of the one or more species of pest from said evaluating.

71. (Previously Presented) The device of claim 16, wherein said at least one bait member includes a pesticide.

72. (Previously Presented) The device of claim 16, wherein said at least one bait member includes a monitoring bait.

73. (Previously Presented) The method of claim 63, further comprising predicting pest behavior based on said comparing.

74. (Previously Presented) The method of claim 56, wherein the bait includes a pesticide.

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 12 of 17

75-81. (Canceled)

Amendment
Application No. 09/812,302
Inventors: Barber, et al.
Filed: March 20, 2001
Page 13 of 17